

Marja Mutanen 1952

Articles relevant for the grant application are marked with \* and indicated as bold

**1. Articles in refereed international scientific journals**

1. Ehnholm C, Huttunen JK, Pietinen P, Leino U, Mutanen M, Kostiaainen E, Pikkarainen J, Dougherty R, Iacono J, Puska P. Effect of diet on serum lipoproteins in a population with a high risk of coronary heart disease. *New Engl J Med* 1988;307:850-855.
2. Mutanen M, Koivistoinen P. The role of imported grain on the selenium intake of Finnish population in 1941-1981. *Int J Vit Nutr Res* 1983;53:102-108.
3. Puska P, Iacono JM, Nissinen A, Korhonen H, Vartiainen E, Pietinen P, Dougherty R, Leino U, Mutanen M, Moisio S, Huttunen J. Controlled, randomized trial of the effect of dietary fat on blood pressure. *Lancet* 1983;i:1-5.
4. Mykkänen HM, Mutanen ML. Effect of ascorbic acid on the intestinal absorption of <sup>75</sup>Se-selenite in chicks. *Nutr Rep Int* 1983;28:67-73.
5. Puska P, Nissinen A, Pietinen P, Korhonen H, Vartiainen E, Leino U, Mutanen M, Tuomilehto, J, Huttunen J, Dougherty R, Iacono J. Role of dietary fats in blood pressure control. *J Hypert* 1983;1(suppl 1):316-318.
6. Iacono JM, Puska P, Dougherty RM, Pietinen P, Vartiainen E, Leino U, Mutanen M, Moisio S. Effect of dietary fat on blood pressure in a rural Finnish population. *Am J Clin Nutr* 1983;38:860-869.
7. Pietinen P, Dougherty R, Mutanen M, Leino U, Moisio S, Iacono JM, Puska P. Dietary intervention study among 30 free-living families in Finland. *JADA* 1984;84:313-318.
8. Ehnholm C, Huttunen JK, Pietinen P, Leino U, Mutanen M, Kostiaainen E, Iacono JM, Dougherty R, Puska P. Effect of a diet low in saturated fatty acids on plasma lipids, lipoproteins and HDL subfractions. *Arteriosclerosis* 1984;4:265-269.
9. Mutanen M, Mykkänen HM. Effect of dietary fat on plasma glutathione peroxidase levels and intestinal absorption of <sup>75</sup>Se-labeled sodium selenite in chicks. *J Nutr* 1984;114:829-834.
10. Mutanen M. Dietary intake and sources of selenium in young Finnish women. *Hum Nutr Appl Nutr* 1984;38A:265-269.
11. Mykkänen HM, Mutanen ML. Selenium-heavy metal interactions during the intestinal absorption of sodium selenite (<sup>75</sup>Se) in chicks. *Nutr Res suppl* 1985;1:539-542.
12. Mutanen M, Mykkänen HM. Effect of ascorbic acid supplementation on selenium bioavailability in humans. *Hum Nutr Clin Nutr* 1985;39C:221-226.
13. Mutanen M, Kumpulainen J, Lehto J, Koivistoinen P. Comparison of chemical analysis and calculation method in estimating selenium content of Finnish diets. *Nutr Res* 1985;5:693-697.
14. Mutanen M, Alfthan G, Arvilommi H, Koivistoinen P, Varo P. Correlation between dietary selenium, platelet GSH-Px activity and plasma selenium level. *Näringsforskning* 1985;29:135-138.
15. Mutanen M, Koivistoinen P, Morris VC, Levander OA. Nutritional availability to rats of selenium in four seafoods: crab (*Callinectes sapidus*), oyster (*Crassostrea virginica*), shrimp (*Penaeus duorarum*) and Baltic herring (*Clupea harengus*): *Br J Nutr* 1986;55:219-225.
16. Mutanen M, Aspila P, Mykkänen HM. Bioavailability to rats of selenium in milk of cows fed sodium selenite or selenated barley. *Ann Nutr Metab* 1986;30:183-188.
17. Mykkänen HM, Mutanen ML. Intestinal interactions of ascorbic acid with different selenium compounds in chicks. *Nutr Rep Int* 1986;33:575-583.
18. Mutanen M. Bioavailability of selenium in mushrooms, *Boletus edulis*, to young women. *Int J Vit Nutr Res* 1986;56:297-301.
19. Chansler MW, Mutanen M, Morris VC, Levander OA. Nutritional bioavailability to rats of selenium in Brazil nuts and mushrooms. *Nutr Res* 1986;6:1419-1428.
20. Mutanen M, Koivistoinen P, Morris VC, Levander OA. Relative nutritional availability to rats of selenium in Finnish spring wheat (*Triticum aestivum L.*) fertilized or sprayed with sodium selenate and in an American winter bread wheat naturally high in Se. *Br J Nutr* 1987;57:319-329.
21. Kumpulainen J, Mutanen M, Paakki M, Lehto J. Validity of calculation method in estimating mineral element content of a pooled total daily diet as tested by chemical analysis. *Vår Föda* 39, suppl 1987;1:75-82.

22. Viita LM, Mutanen ML, Mykkänen HM. Selenium-iron interaction in young women with low selenium status. *J Hum Nutr Diet* 1988;1:457-460.
23. Mutanen M, Viita L, Mykkänen HM. Selenium supplementation has no effect on *in vivo* platelet activation in humans with normal selenium status. *Int J Vit Nutr Res* 1989;59:309-313.
24. Valsta LM, Jauhiainen M, Aro A, Katan MB, Mutanen M. Effects of a monounsaturated rapeseed oil and a polyunsaturated sunflower oil diet on lipoprotein levels in humans. *Arteriosclerosis Thrombosis* 1992;12:50-57.
25. Kosonen T, Mutanen M. Relative bioavailability of iron in carbonyl iron and complex ferric orthophosphate to rat. *Int J Vit Nutr Res* 1992;62:60-65.
26. Mutanen M, Kleemola P, Valsta LM, Mensink RP, Räsänen L. Lack of effect on blood pressure by polyunsaturated and monounsaturated fat diets. *Eur J Clin Nutr* 1992;46:1-6.
27. Mutanen M, Freese R, Valsta LM, Ahola I, Ahlström A. Rapeseed oil and sunflower oil diets enhance platelet *in vitro* aggregation and thromboxane production in healthy men when compared with milk fat or habitual diets. *Thromb Haemost* 1992;67:352-356.
28. Räsänen L, Mutanen M, Laitinen S, Koski K, Halonen S, Kivinen P, Stengård J, Pekkanen J, Nissinen A. Food consumption and nutrient intakes of 70 to 89 years old men in eastern and western Finland in 1989. *J Intern Med* 1992;232:305-312.
29. Freese R, Mutanen M, Valsta LM, Salminen I. Comparison of the effects of two diets rich in monounsaturated fatty acids differing in their linoleic/a-linolenic acid ratio on platelet aggregation. *Thromb Haemost* 1994;71:73-77.
30. Valsta LM, Jauhiainen M, Aro A, Salminen I, Mutanen M. The effects on serum lipoprotein levels of two monounsaturated fat rich diets differing in their linoleic and a-linolenic acid contents. *Nutr Metab Cardiovasc Dis* 1995;5:129-140.
31. Mutanen M, Krusius T, Räsänen L, Freese R, Vahtera E, Viikari JSA. Habitual diet, platelet function, fibrinogen and factor VII coagulant activity in young Finns. *J Intern Med* 1995;237:577-583.
32. Freese R, Mutanen M. Postprandial changes in platelet function and coagulation factors after high-fat meals with different fatty acid compositions. *Eur J Clin Nutr* 1995;49:658-664.
33. Pekkanen J, Mutanen M, Räsänen L, Rauramaa R, Nissinen A. Association of factor VIIIc activity with dietary fat and blood lipids among elderly men - The Finnish cohorts of the Seven Countries Study. *Nutr Metab Cardiovasc Dis* 1995;5:149-154.
34. Turpeinen AM, Alfthan G, Valsta L, Hietanen E, Salonen JT, Schunk H, Nyssönen K, Mutanen M. Plasma and lipoprotein lipid peroxidation in humans on sunflower and rapeseed oil diets. *Lipids* 1995;30:485-492.
35. Vaca CE, Fang J-L, Mutanen M, Valsta L. <sup>32</sup>P-postlabelling determination of DNA adducts of malondialdehyde in humans: Total white blood cells and breast tissue. *Carcinogenesis* 1995;16:1847-1851.
36. Huijbregts PCW, Feskens EJM, Räsänen L, Fidanza AA, Mutanen M, Fidanza F, Kromhout D. Dietary intake in five aging cohorts of men in Finland, Italy, and Netherlands. *Eur J Clin Nutr* 1995;49:852-860.
37. Valsta LM, Salminen I, Aro A, Mutanen M. a-linolenic acid in rapeseed oil partly compensates for the effect of fish restriction on plasma long chain n-3 fatty acids. *Eur J Clin Nutr* 1996;50:229-235.
38. Mutanen M, Jauhiainen M, Freese R, Valsta LM. Comparison of the effects of interesterified butter oil, natural butter oil, rapeseed oil and sunflower oil on postprandial lipoprotein levels in healthy females. *Nutr Metab Cardiovasc Dis* 1996;6:6-12.
39. Fang J-L, Vaca CE, Valsta LM, Mutanen M. Determination of DNA adducts of malondialdehyde in humans: effects of dietary fatty acid composition. *Carcinogenesis* 1996;17:1035-1040.
40. Mutanen M, Freese R. Polyunsaturated fatty acids and platelet aggregation. *Curr Opin Lipidol* 1996;7:14-19.
41. Pajari A-M, Rasilo M-L, Mutanen M. Protein kinase C activation in rat colonic mucosa after diets differing in their fatty acid composition. *Cancer Letters* 1997;114:101-103.
42. Mutanen M, Aro A. Coagulation and fibrinolysis factors in healthy subjects consuming high stearic or *trans* fatty acid diets. *Thromb Haemost* 1997;77:99-104.
43. Freese R, Mutanen M. Small effects of linseed oil or fish oil supplementation on postprandial changes in hemostatic factors. *Thromb Res* 1997;85:147-152.
44. Heinonen M, Valsta LM, Anttolainen M, Ovaskainen M-L, Hyvönen L, Mutanen M. Comparison between analyzed and calculated food composition data: carotenoids, retinoids, tocopherols, tocotrienols, fat, fatty acids, and sterols. *J Food Comp Anal* 1997;10:3-13.

45. Mutanen M. *Cis*-unsaturated fatty acids and platelet function. *Prostaglandins Leukot Essent Fatty Acids* 1997;57:403-410.
46. Mutanen M. Comparison between dietary monounsaturated and polyunsaturated fatty acids as regards atherogenesis, thrombogenesis and carcinogenesis. *Biomed & Pharmacotherapy* 1997;51:314-317.
47. Aro A, Jauhiainen M, Partanen R, Salminen I, Mutanen M. Dairy fat, stearic acid, and *trans* fatty acids: effects on serum lipoprotein lipids, apolipoproteins, lipoprotein (a), and lipid transfer proteins of healthy subjects. *Am J Clin Nutr* 1997;65:1419-1426.
48. Freese R, Mutanen M. Alpha-linolenic acid and marine long-chain n-3 fatty acids only slightly differ in their effects on hemostatic factors in healthy subjects. *Am J Clin Nutr* 1997;66:591-598.
49. Nair J, Vaca CE, Velic I, Mutanen M, Valsta LM, Bartsch H. High dietary w-6 polyunsaturated fatty acids drastically increase the formation of etheno-DNA base adducts in white blood cells of female subjects. *Cancer Epidemiology, Biomarkers & Prevention* 1997;6:597-601.
50. Salminen I, Mutanen M, Jauhiainen M, Aro A. Dietary *trans* fatty acids increase conjugated linoleic acid levels in human serum. *J Nutr Biochem* 1998;9:93-98.
51. Turpeinen AM, Wübert J, Aro A, Lorenz R, Mutanen M. Similar effects of diets rich in stearic acid or *trans* fatty acids on platelet function and endothelial prostacyclin production in humans. *Arteriocler Thromb Vasc Biol* 1998;18:316-322.
52. \* **Turpeinen AM, Pajari AM, Freese R, Sauer R, Mutanen M. Replacement of dietary saturated by unsaturated fatty acids: effects on platelet protein kinase C activity, urinary content of 2,3-dinor-TXB2 and in vitro platelet aggregation in healthy man. *Thromb Haemost* 1998;80:649-655.**
53. Turpeinen AM, Basu S, Mutanen M. A high linoleic acid diet increases oxidative stress in vivo and affects nitric oxide metabolism in humans. *Prostaglandins Leukot Essent Fatty Acids* 1998;59:229-233.
54. Pajari A-M, Häkkänen P, Duan R-D, Mutanen M. Role of red meat and arachidonic acid in protein kinase C activation in rat colonic mucosa. *Nutr Cancer* 1998;32:86-94.
55. Hornstra G, Barth CA, Galli CI, Mensink RP, Mutanen M, Riemersma RA, Roberfroid M, Salminen K, Vansant G, Verschuren PM. Functional food science and the cardiovascular system. *Br J Nutr* 1998;80:S113-S146.
56. Freese R, Basu S, Hietanen E, Nair J, Nakachi K, Bartsch H, Mutanen M. Green tea extract decreases plasma malondialdehyde concentration but does not affect other indicators of oxidative stress, nitric oxide production, or hemostatic factors during a high-linoleic acid diet in healthy females. *Eur J Nutr* 1999;38:149-157.
57. Pajari A-M, Mutanen M. Phospholipid fatty acid composition and protein kinase C activity in the large intestine in rats fed on butter and coconut-oil diets. *Br J Nutr* 1999;82:411-418.
58. Turpeinen AM, Mutanen M. Similar effects of diets high in oleic or linoleic acids on coagulation and fibrinolysis factors in healthy humans. *Nutr Metab Cardiovasc Dis* 1999;9:65-72.
59. Mutanen M, Pajari A-M, Oikarinen S. Beef induces and rye bran prevents the formation of intestinal polyps in *ApcMin* -mice - Relation to b-catenin and PKC-isozymes. *Carcinogenesis* 2000;21:1167-1173.
60. Mayer C, Schmezer P, Freese R, Mutanen M, Hietanen E, Obe G, Basu S, Bartsch H. Lipidperoxidation status, somatic mutations and micronuclei in peripheral lymphocytes: A case observation on a possible interrelationship. *Cancer Lett* 2000;152:169-173.
61. Turpeinen AM, Leinonen K, Mutanen M, Mykkänen H. Similar responses in hemostatic factors after consumption of wholemeal rye bread or low-fiber wheat bread. *Eur J Clin Nutr* 2000;54:418-423.
62. Vainio H, Mutanen M. Functional foods – blurring the distinction between food and medicine. *Scand J Work Environ Health* 2000;26:178-180.
63. Pajari A-M, Oikarinen S, Grästen S, Mutanen M. Diets enriched with cereal brans or inulin modulate protein kinase C activity and isozyme expression in rat colonic mucosa. *Br J Nutr* 2000;84:635-643.
64. Pajari A-M, Oikarinen S, Duan R-D, Mutanen M. A high-beef diet modulates protein kinase C isozyme expression but does not affect sphingomyelinase activity in rat colonic mucosa. *J Nutr Biochem* 2000; 11:474-481.
65. Oikarinen S, Pajari A-M, Mutanen M. Chemopreventive activity of crude hydroxymatairesinol (HMR) extract in *ApcMin* mice. *Cancer Lett* 2000;161:253-258.
66. Mutanen M, Freese R. Fats, lipids and blood coagulation. *Curr Opin Lipidol* 2001;12:25-29.

67. Misikangas M, Freese R, Turpeinen AM, Mutanen M. High linoleic acid, low vegetable, and high oleic acid, high vegetable diets affect platelet activation similarly in healthy women and men. *J Nutr* 2001;135:1700-1705.
68. Kleemola P, Freese R, Jauhiainen M, Pahlman R, Alfthan G, Mutanen M. Dietary determinants of serum paraoxonase activity in healthy humans, *Atherosclerosis* 2002;160:425-432.
69. \* Freese R, Alfthan G, Jauhiainen M, Basu S, Erlund I, Salminen I, Aro A, Mutanen M. **High intake of vegetables, berries and apples combined with a high intake of linoleic or oleic acid only slightly affects markers of lipid peroxidation and lipoprotein metabolism in healthy subjects.** *Am J Clin Nutr* 2002;76:950-960.
70. Turpeinen AM, Mutanen M, Aro A, Salminen I, Basu S, Palmqvist D, Griinari JM. Bioconversion of vaccenic acid to conjugated linoleic acid in humans. *Am J Clin Nutr* 2002;76:504-510.
71. Nielsen SE, Freese R, Kleemola P, Mutanen M. Flavonoids in human urine as biomarkers for intake of fruits and vegetables. *Cancer Epidemiol Biomarkers Prev* 2002;11:459-466.
72. Yang L, Mutanen M, Cheng Y, Duan R-D. Effects of red meat and fibre in high fat diet on activities of spingomyelinase, ceramidase and caspase-3 in rat colonic mucosa. *J Nutr Biochem* 2002;13:499-504.
73. Apajalhti JHA, Kettunen H, Kettunen A, Holben WE, Nurminen PH, Rautonen N, Mutanen M. Culture-independent microbial community analysis reveals that inulin in the diet primarily affects previously unknown bacteria in mouse caecum. *Appl Environ Microbiol* 2002;68:4986-4995.
74. Mensink RP, Aro A, Den Hond E, German JB, Griffin BA, ter Meer H-U, Mutanen M, Pannemans D, Stahl W. PASSCLAIM 1- Diet-related cardiovascular disease. *Eur J Nutr* 2003;42(suppl 1):6-27.
75. Rajakangas J, Basu S, Salminen I, Mutanen M. Adenoma growth stimulation by the *trans*-10, *cis*-12 isomer of conjugated linoleic acid (CLA) is associated with changes in mucosal NF-kB and cyclin D1 protein levels in the Min mouse. *J Nutr* 2003;133:1943-1948.
76. Oikarinen S, Heinonen S, Karppinen S, Mättö J, Adlercreutz H, Poutanen K, Mutanen M. Plasma enterolactone or intestinal Bifidobacterium levels do not explain adenoma formation in multiple intestinal neoplasia (Min) mice fed with two different types of rye-bran fractions. *Br J Nutr* 2003;90:119-125.
77. Pajari A-M, Rajakangas J, Päivärinta E, Kosma V-M, Rafter J, Mutanen M. Promotion of intestinal tumor formation by inulin is associated with an accumulation of cytosolic b-catenin in Min mice. *Int J Cancer* 2003;106:653-660.
78. \* Freese R, Vaarala O, Turpeinen AM, Mutanen M. **No difference in platelet activation or inflammation markers after diets rich or poor in vegetables, berries and apple in healthy subjects.** *Eur J Nutr*, 2004;43:175-182.
79. Gulbinowicz M, Berdel B, Wojcik S, Dziewiatkowski J, Oikarinen S, Mutanen M, Kosma V-M, Mykkänen H, Morys J. Morphometric analysis of the small intestine in wild type mice C57BL/6J – developmental study. *Folia Morphol* 2004;63:423-430.
80. Oikarinen S, Heinonen S-M, Nurmi T, Adlercreutz H, Mutanen M. No effect on adenoma formation in Min mice after moderate amount of flaxseed. *Eur J Nutr* 2005;44:273-280.
81. Oikarinen SI, Pajari A-M, Salminen I, Heinonen S-M, Adlercreutz H, Mutanen M. Chemoprevention of intestinal adenoma formation in Min mice by the mixture of defatted flaxseed, wheat fiber, flaxseed and rapeseed oils. *Br J Nutr* 2005;94:510-518.
82. Misikangas M, Pajari A-M, Päivärinta E, Mutanen M. Promotion of adenoma growth by dietary inulin is associated with increase in cyclin D1 and decrease in adhesion proteins in Min/+ mice mucosa. *J Nutr Biochem*, 2005;16:402-409.
83. Rajakangas J, Pajari A-M, Misikangas M, Mutanen M. Nuclear factor kB is down-regulated and correlates with p53 in the Min mouse mucosa during an accelerated tumor growth. *Int J Cancer* 2006;118:279-283.
84. Aura A-M, Oikarinen S, Mutanen M, Heinonen S-M, Adlercreutz H, Virtanen H, Poutanen KS. Suitability of a batch in vitro fermentation model using human faecal microbiota for prediction of conversion of flaxseed lignans to enterolactone with reference to an in vivo rat model. *Eur J Nutr*. 2006;45:45-51.
85. Pajari A-M, Smeds AI, Oikarinen SI, Eklund PC, Sjöholm RE, Mutanen M. The plant lignans matairesinol and secoisolariciresinol administered to Min mice do not protect against intestinal tumor formation. *Cancer Letters* 2006;233:309-314.

86. Päivärinta E, Pajari A-M, Törrönen R, Mutanen M. Ellagic acid and natural sources of ellagitannins as possible chemopreventive agents against intestinal tumorigenesis in the Min mouse. *Nutr Cancer* 2006;54:79-83.
87. Misikangas M, Pajari A-M, Päivärinta E, Oikarinen SI, Rajakangas J, Marttinen M, Tanayama HK, Törrönen R, Mutanen M. Three Nordic berries inhibit intestinal tumorigenesis in multiple intestinal neoplasia/+ mice by modulating b-catenin signalling in the tumor and transcription in the mucosa. *J Nutr* 2007;137:2285-2290.
88. Oikarinen SI, Erlund I, Mutanen M. Tumour formation in multiple intestinal neoplasia (ApcMin/+) mice fed with filtered or unfiltered coffee. *Scand J Food Nutr* 2007;51:167-173.
89. Misikangas M, Tanayama H, Rajakangas J, Lindén J, Pajari A-M, Mutanen M. Inulin results in increased levels of b-catenin and cyclin D1 as the adenomas increase in size from small to large in the Min/+ mouse. *Br J Nutr* 2008;99:963-970.
90. \* **Freese R, Dragstedt LO, Loft S, Mutanen M. No effect on oxidative stress biomarkers by modified intakes of polyunsaturated fatty acids or vegetables and fruit. *Eur J Clin Nutr* 2008;62:1151-1153.**
91. Hatakka K, Mutanen M, Holma R, Saxelin M, Korpela R. Lactobacillus rhamnosus LC705 together with Propionibacterium freudenreichii ssp shermanii JS administered in capsules is ineffective in lowering serum lipids. *J Am Coll Nutr*. 2008;27:441-447.
92. Rajakangas J, Misikangas M, Päivärinta E, Mutanen M. Chemoprevention by white currant is mediated by the reduction of nuclear b-catenin and NF-kB levels in Min mice adenomas. *Eur J Nutr* 2008;47:115-22.
93. Mutanen M, Pajari AM, Päivärinta E, Misikangas M, Rajakangas J, Marttinen M, Oikarinen S. Berries as chemopreventive dietary constituents--a mechanistic approach with the ApcMin/+ mouse. *Asia Pac J Clin Nutr*. 2008;17 Suppl 1:123-125.
94. Nyström M, Mutanen M. Diet and epigenetics in colon cancer. *World J Gastroenterol* 2009;15:257-263.
95. Cleveland AG, Oikarinen SI, Bynoté KK, Marttinen M, Rafter JJ, Gustafsson JA, Roy SK, Pitot HC, Korach KS, Lubahn DB, Mutanen M, Gould KA. Disruption of estrogen receptor signaling enhances intestinal neoplasia in Apc(Min/+) mice. *Carcinogenesis*. 2009;30:1581-1590.
96. Oikarinen SI, Cleveland AG, Cork KM, Bynoté KK, Rafter JJ, Gustafsson JA, Mutanen M, Gould KA. Genetic mapping of Mom5, a novel modifier of Apc(Min)-induced intestinal tumorigenesis. *Carcinogenesis*. 2009;9:1591-1596.
97. \* **Wennergren MH, Smedman A, Turpeinen AM, Retterstøl K, Tengblad S, Lipre E, Aro A, Mutanen M, Seljeflot I, Basu S, Pedersen JI, Mutanen M, Vessby B. Dairy products and metabolic effects in overweight men and women: results from a 6-mo intervention study. *Am J Clin Nutr*. 2009;90:960-968.**
98. Saxelin M, Lassig A, Karjalainen H, Tynkkynen S, Surakka A, Vapaatalo H, Järvenpää S, Korpela R, Mutanen M, Hatakka K. Persistence of probiotic strains in the gastrointestinal tract when administration as capsules, yoghurt, or cheese. *Int J Food Microbiol*. 2010;144:293-300. Epub 2010 Oct 21.
99. Marttinen M, Päivärinta E, Storvik M, Huikko L, Luoma-Halkola H, Piironen V, Pajari A-M, Mutanen M. Plant stanols modulate Wnt and EGFR signaling and induce intestinal tumor formation in ApcMin mice. *J Nutr Biochem* 2013 Jan;24(1):343-52. doi: 10.1016/j.jnutbio.2012.07.002. Epub 2012 Sep 13.
100. Korkalo L, Erkkola M, Fidalgo L, Nevalainen J, Mutanen M. Food photographs in portion size estimation among adolescent Mozambican girls. *J Publ Health Nutr* 2012 Aug 8:1-7.
101. Babich PS, Skvortsov AN, Rusconi P, Tsymbalenko NV, Mutanen M, Puchkova LV, Broggin M. Non-hepatic tumors change the activity of genes encoding copper trafficking proteins in the liver. *Cancer Biol Ther*. 2013;14: 614-24. doi: 10.4161/cbt.24594. Epub 2013 May 10.
102. Pussila M, Sarantaus L, Bebek DD, Valo S, Reyhani N, Ollila S, Päivärinta E, Peltomäki P, Mutanen M, Nyström M. Western diet and *Mlh1* mutation predispose mouse colon to early expression and methylation changes in growth-regulatory genes. *PLoS One*. 2013 Oct 8;8(10): e76865. doi: 10.1371/journal.pone.0076865. eCollection 2013
103. Marttinen M, Pajari A-M, Päivärinta E, Storvik M, Marttinen P, Nurmi T, Niku M, Piironen V, Mutanen M. Plant sterol feeding induces tumor formation and alters sterol metabolism in the intestine of ApcMin mice. *Nutr Cancer* 2014;66:259-69. doi: 10.1080/01635581.2014.865244. Epub 2014 Jan 10.
104. Marttinen M, Kosola M, Ovaskainen M-L, Mutanen M, Männistö S. Plant sterol and stanol intake in Finland: a comparison between users and non-users of plant sterol and plant stanol

- enriched foods. Eur J Clin Nutr. 2014;68:587-91. doi: 10.1038/ejcn.2014.3. Epub 2014 Feb 12
105. \* **Freese R, Korkalo L, Vessby B, Tengblad S, Vaara E, Hauta-alus H, Selvester K, Mutanen M. Essential fatty acid intake and serum fatty acid among adolescent girls in central Mozambican. Br J Nutr. 2015;113:1086-95.**
  106. \* **Korkalo L, Freese R, Alfthan G, Fidalgo L, Mutanen M. Poor micronutrient intake and status is a public health problem among adolescent Mozambican girls. Nutr Res. 2015;35:664-73.**
  107. Korkalo L, Erkkola M, Heinonen AE, Freese R, Selvester K, Mutanen M. Associations of dietary diversity scores and micronutrient status in adolescent Mozambican girls. Eur J Nutr. 2016 Feb 4. [Epub ahead of print]
  108. Kulathinal S, Freese R, Korkalo L, Ismael C, Mutanen M. Mid-upper arm circumference is associated with biochemically determined nutritional status indicators among adolescent girls in Central Mozambique. Nutr Res 2016;36:835-844.
  109. Pajari A-M, Päivärinta E, Paavolainen L, Vaara E, Koivumäki T, Garg R, Heiman-Lindh A, Mutanen M, Marjomäki V, Ridley AJ. Ellagitannin-rich cloudberry inhibits hepatocyte growth factor-induced cell migration and phosphatidylinositol 3-kinase/AKT activation in colon carcinoma cells and tumors in Min mice. Oncotarget. 2016 May 30. doi: 10.18632/oncotarget.9724
  110. \* **Mutanen M, Freese R, Vessby B, Korkalo L, Selvester K, Kulathinal S. Determinants of plasma phospholipid arachidonic and docosahexaenoic acids among adolescent girls in central Mozambique – possible roles of iron and zinc. Prostaglandins Leukot Essent Fatty Acids. 2016 Dec;115:1-7. doi: 10.1016/j.plefa.2016.10.004.**
  111. \* **Niku M, Pajari A-M, Sarantaus L, Päivärinta E, Storvik M, Heiman-Lindh A, Nyström M, Mutanen M. Western diet enhances intestinal tumorigenesis in *Min*<sup>+</sup> mice, associating with mucosal metabolic and inflammatory stress and loss of *Apc* heterozygosity. J Nutr Biochem. 2017 Jan;39:126-133. doi: 10.1016/j.jnutbio.2016.09.016**
  112. Päivärinta E, Niku M, Maukonen J, Storvik M, Heiman-Lindh A, Saarela M, Pajari A-M, Mutanen M. Changes in intestinal immunity, gut microbiota, and expression of energy metabolism-related genes explain adenoma growth in bilberry and cloudberry-fed *Apc*<sup>Min</sup> mice. Nutr Res. 2016 Nov;36(11):1285-1297. doi: 10.1016/j.nutres.2016.10.003.
  113. \* **Schneider L, Ollila S, Kimiwe J, Lubeka C, Mutanen M. Is competence enough to enable Kenyan mothers to make good infant and young child feeding decisions? Matern Child Nutr 2017 Feb 10. doi: 10.1111/mcn.12422**

## 2. Scientific abstracts not counted after 180

## 3. Scientific monographs (Theses)

1. Mutanen M. Selenium in the Finnish diet (in Finnish). Licentiate thesis. Department of Nutrition, University of Helsinki. 36 pp, 1984.
2. Mutanen M. Bioavailability of Selenium: Human and Animal Studies. Doctoral thesis (summary part), Department of Nutrition, University of Helsinki. 115 pp, 1987.

## 4. Chapters in books/books edited

1. Mutanen M, Voutilainen E. Digestion (in Finnish). In : Aro A, Mutanen M, Nuutinen L, Uusitupa M. (Eds.). Clinical Nutrition (in Finnish), Kustannus Oy Duodecim, Porvoo pp. 40-50, 1993.
2. Mutanen M, Voutilainen E. Absorption and transport of nutrients (in Finnish). In : Aro A, Mutanen M, Nuutinen L, Uusitupa M. (Eds.). Clinical Nutrition (in Finnish), Kustannus Oy Duodecim, Porvoo pp. 51-81, 1993.
3. Mutanen M, Voutilainen E. Nutrient metabolism (in Finnish). In : Aro A, Mutanen M, Nuutinen L, Uusitupa M. (Eds.). Clinical Nutrition (in Finnish), Kustannus Oy Duodecim, Porvoo pp. 82-130, 1993.

4. Mutanen M, Voutilainen E. Excretion of nutrients (in Finnish). In : Aro A, Mutanen M, Nuutinen L, Uusitupa M. (Eds.). Clinical Nutrition (in Finnish), Kustannus Oy Duodecim, Porvoo pp. 130-36, 1993.
5. Aro A, Mutanen M, Nuutinen L, Uusitupa M. (Eds.). Clinical Nutrition (in Finnish), Kustannus Oy Duodecim, Porvoo. 504 pages. 1993.
6. Mutanen M, Voutilainen E. Digestion (in Finnish). In : Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Hämeenlinna pp 85-92, 1999. Revised version in 2005 pp 91-98.
7. Mutanen M, Voutilainen E. Absorption, transport, and excretion of nutrients (in Finnish). In : Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Hämeenlinna pp 93-102, 1999. Revised version in 2005 pp 99-109.
8. Mutanen M, Voutilainen E. Energy nutrients, dietary fiber and alcohol (in Finnish). In : Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Hämeenlinna pp 104-137, 1999. Revised version in 2005 pp 110-143.
9. Mutanen M, Voutilainen E. Vitamins and minerals (in Finnish). In: Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Hämeenlinna pp 138-209, 1999. Revised version in 2005 pp 144-215.
10. Mutanen M, Voutilainen E. Energy metabolism (in Finnish). In : Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Hämeenlinna pp 210-219, 1999. Revised version in 2005 pp 216-225. Revised version in 2005 pp 226-236.
11. Mutanen M, Voutilainen E. Diet, gene function and cell signalling (in Finnish). In : Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Hämeenlinna pp 138-209, 1999.
12. Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Hämeenlinna 648 pages, 1999. Revised version in 2005.
13. Perspectives of Nutrition Research – sixty years of nutrition science at the University of Helsinki, Finland. Ed. A-M Pajari, L Räsänen, M Mutanen. University of Helsinki, Helsinki, 2007.
14. Vegetables, Whole Grains, and Derivatives in Cancer Prevention. Ed. M. Mutanen & A-M Pajari. Springer, published in 2010.
15. Mutanen M, Niku M, Oikarinen S. Green leafy vegetables in cancer prevention. Chapter in the book: Vegetables, Whole Grains, and Derivatives in Cancer Prevention. Ed. M. Mutanen & A-M Pajari. Springer, published in 2010.
16. Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Otavan Kirjapaino Oy, Keuruu 2012. 613 pages.
17. Mutanen M, Voutilainen E. Food and its constituents (in Finnish). In: Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Otavan Kirjapaino Oy, Keuruu 2012, pp 16-18.
18. Mutanen M, Voutilainen E. Digestion of food and its regulation (in Finnish). In: Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Otavan Kirjapaino Oy, Keuruu 2012, pp 25-33.
19. Mutanen M, Voutilainen E. Absorption, transport, storage and excretion of nutrients (in Finnish). In: Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Otavan Kirjapaino Oy, Keuruu 2012, pp 34-41.
20. Mutanen M, Voutilainen E. Energy producing nutrients, dietary fibre and alcohol (in Finnish). In: Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Otavan Kirjapaino Oy, Keuruu 2012, pp 42-75.
21. Mutanen M, Voutilainen E. Energy metabolism (in Finnish). In: Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Otavan Kirjapaino Oy, Keuruu 2012, pp 76-87.
22. Mutanen M, Uusitupa M. Diet and genes (in Finnish). In: Aro A, Mutanen M, Uusitupa M. (Eds.). Nutrition (in Finnish), Kustannus Oy Duodecim, Otavan Kirjapaino Oy, Keuruu 2012, pp 168-182.